

Deicing Application Rate Guidelines



Remove as much snow and ice as possible before applying deicers.

PAVEMENT TEMP	ROCK SALT	Salt blend with MgCl ₂ or CaCl ₂	PRE-WET SALT (15+ gal/Ton)
32F to 15F	200-300 lb/acre		150-200 lb/acre
15F to -5F		200-300 lb/acre	200-300 lb/acre (use a brine blend below 5F)
Below -5F		CaCl ₂ blend only	
Speed of melting	AVERAGE	FASTER	FASTEST