

Deicing Application Rates

Remove as much snow and ice as possible before applying deicers
 Pre-Wet Rate of 15+ gallons/Ton

| Road Temp | Pre-Wet (lb/ln-mile) | Rock Salt (lb/ln-mile) | Shake and Bake (gal/ln-mile) | Shake and Bake (lb/ln-mile) |
|--|-------------------------|---------------------------|---|--------------------------------|
| 30+ | 100-150 | 150-200 | 40+ | 100 |
| 25-29 | 150-200 | 200-250 | 40+ | 150 |
| 20-24 | 200-250 | 250-300 | 40+ | 150 |
| 15-19 | 250-300 | 300-350 | 40+ | 200 |
| Brine blend - 80/20 with Geomelt/BeetHeet/Etc. or 90/10 with Calcium Chloride | | | Brine blend - 80/20 with Geomelt/BeetHeet/Etc. or 90/10 Calcium Chloride | |
| 5-14 | 250-350 | Not recommended | 50 | 200 |